

Technical Guide

Version 1.1

July, 2025

Presented By: Novity Technologies LLP

This document is confidential and may be privileged or otherwise protected from disclosure and may include proprietary information. Unauthorized reproduction or disclosure of this information in whole or in part is prohibited.

Document History

Version	Date	Description
1.0	08-07-2025	Initial Draft
1.1	08-07-2025	Add complaint status

Index

Page No	Topic
4	Introduction
5	List of API Methods
6	Request Format
7	Response Format
9-22	API Method Details
23	Call Back Details
24	Transaction Status
25	Appendix – Services Codes and other input info

Introduction

This document covers the Recharge API integration with Unisus Pay API using Secure SOAP protocol.

Base URL: <https://www.unisuspay.com/USPAPI/RechargeService.asmx>

Method: POST

Please obtain Following credentials before trying.

1. Registered Mobile No.
2. API KEY

List of API Methods

1. GetPartnerBalance
2. RechargeRequest
3. GetTransactionStatus
4. GetUtilityServiceList
5. GetUtilityBillInfo
6. UtilityBillRequest
7. GenerateTransactionComplaint
8. GetTransactionComplaintStatus

Request Format

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <RechargeAuthHeader
      xmlns="http://tempuri.org/">
      <MobileNo>Registered_No</MobileNo>
      <APIKey>Password</APIKey>
      <ResponseType>XML</ResponseType>
    </RechargeAuthHeader>
  </soap:Header>
  <soap:Body>
    <MethodName
      xmlns="http://tempuri.org/">
      <sRequest>
        <NTDREQ>
          <REQTYPE>Request_Type</REQTYPE>
          <PARA1>Input</PARA1>
          <PARA2>Input</PARA2>
        </NTDREQ>
      </sRequest>
    </MethodName>
  </soap:Body>
</soap:Envelope>
```

In the above Request, Red marked information need to be replaced as given Below:

Tag Name	Input	Description
<MobileNo>	Registered_No	Registered Mobile No.
<APIKey>	Password	API Key/ Password
<ResponseType>	XML	Desired Response Format i.e XML or JSON
<MethodName>	MethodName	API Methods i.e. GetPartnerBalance
<NTDREQ>	NTDREQ	Input parameters according to the Method Name. More Information is given in Individual Method Details.

Response Format

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <RechargeAuthHeader
      xmlns="http://tempuri.org/"
      <MobileNo>Registered_No</MobileNo>
      <APIKey>Password</APIKey>
      <ResponseType>XML</ResponseType>
    </RechargeAuthHeader>
  </soap:Header>
  <soap:Body>
    <MethodNameResponse
      xmlns="http://tempuri.org/"
      <MethodNameResult>
        <NTDRESP>
          <STATUSCODE>0</STATUSCODE>
          <STATUSMSG>Success</STATUSMSG>
          <OUTPUT_LIST>
            <FIELD1>6775</FIELD1>
            <FIELD2>6775</FIELD2>
          </OUTPUT_LIST>
        </NTDRESP>
      </MethodNameResult>
    </MethodNameResponse>
  </soap:Body>
</soap:Envelope>
```

In case of JSON Response, Bold Remarked output will be replaced by:

```
{
  "NTDRESP": {
    "STATUSCODE": "0",
    "STATUSMSG": "Success",
    "OUTPUT_LIST": {
      "FIELD1": "6775",
      "FIELD2": "6775"
    }
  }
}
```

Unisus Pay SOAP API Integration Guide

In the above Response, Red marked information need to be replaced as given Below:

Tag Name	Input	Description
<MobileNo>	Registered_No	Registered Mobile No.
<APIKey>	Password	API Key/ Password
<ResponseType>	XML	Desired Response Format i.e XML or JSON
<MethodNameResponse>	MethodNameResponse	Api Method Response i.e. GetPartnerBalanceResponse
<MethodNameResult>	MethodNameResult	Api Method Result i.e. GetPartnerBalanceResult
<NTDRESP>	NTDRESP	Output parameters according to the Method Name. More Information is given in Individual Method Details.

Method Name	GetPartnerBalance			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	REQTYPE	String	Request Type Code – GPB	M
Request Format	<NTDREQ> <REQTYPE>GPB</REQTYPE> </NTDREQ>			
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message. I.e. Success	M
	BAL	Numeric	Current Balance	M
XML Response Format	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <BAL>52000.00</BAL> </NTDRESP>			
JSON Response Format	<pre>{ "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "BAL": "52000.00" } }</pre>			

Unisus Pay SOAP API Integration Guide

Method Name	RechargeRequest			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O) /Conditional(C)
	REQTYPE	String	Request Type Code – RR	M
	REFNO	String	Unique Transaction Reference No. Of the Client System.	M
	SERCODE	String	Service Code – Please check Appendix	M
	CUSTNO	Numeric	Customer Mobile No/Customer ID	M
	REFMOBILENO	String	Reference Mobile No mainly used for DTH recharges	M
	AMT	Numeric	Recharge Amount	M
	STV	Numeric	0 – Topup ; 1- Special Recharge	M
Request Format	<NTDREQ> <REQTYPE>RR</REQTYPE> <REFNO>NTD0000000000010</REFNO> <SERCODE>A</SERCODE> <CUSTNO>9825098250</CUSTNO> <REFMOBILENO></REFMOBILENO> <AMT>10</AMT> <STV>0</STV> </NTDREQ>			
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message I.e. Success	M
	REFNO	String	Unique Transaction Reference No. Of the Client System.	M
	TRNID	Numeric	Unique Transaction Reference No. Of Unisus Pay System	M
	TRNSTATUS	Numeric	Transaction Status	M

Unisus Pay SOAP API Integration Guide

			i.e. 0 – Accepted , 1- Success Please see Appendix for more Transaction Status	
	TRNSTATUSDESC	String	Transaction Status Description i.e. Account Closed	M
XML Response Format	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <REFNO>NTD00000000000010</REFNO> <TRNID>21</TRNID> <TRNSTATUS>1</TRNSTATUS> <TRNSTATUSDESC>Success</TRNSTATUSDESC> </NTDRESP>			
JSON Response Format	{ "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "REFNO": "NTD00000000000010", "TRNID": "21", "TRNSTATUS": "1", "TRNSTATUSDESC": "Success" } }			

Unisus Pay SOAP API Integration Guide

Method Name	GetTransactionStatus			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O) /Conditional(C)
	REQTYPE	String	Request Type Code – GTS	M
	REFNO	String	Unique Transaction Reference No. Of the Client System.	M
Request Format	<NTDREQ> <REQTYPE>GTS</REQTYPE> <REFNO>NTD0000000000010</REFNO> </NTDREQ>			
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message I.e. Success	M
	REFNO	String	Unique Transaction Reference No. Of the Client System.	M
	TRNID	Numeric	Unique Transaction Reference No. Of Unisus Pay System	M
	TRNSTATUS	Numeric	Transaction Status i.e. 0 – Accepted , 1- Success Please see Appendix for more Transaction Status	M
	TRNSTATUSDESC	String	Transaction Status Description i.e. Account Closed	M
	OPRID	String	OperatorID	M
XML Response	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <REFNO>NTD0000000000010</REFNO> <TRNID>21</TRNID> <TRNSTATUS>1</TRNSTATUS> <TRNSTATUSDESC>Success</TRNSTATUSDESC>			

Unisus Pay SOAP API Integration Guide

Format	<OPRID> RJ012342323212 </OPRID> </NTDRESP>
JSON Response Format	<pre> { "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "REFNO": "NTD00000000000010", "TRNID": "21", "TRNSTATUS": "1", "TRNSTATUSDESC": "Success" "OPRID": "RJ012342323212" } } </pre>

Unisus Pay SOAP API Integration Guide

Method Name	GetUtilityServiceList			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O) /Conditional(C)
	REQTYPE	String	Request Type Code – GUSL	M
Request Format	<NTDREQ> <REQTYPE>GUSL</REQTYPE> </NTDREQ>			
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message I.e. Success	M
	SERID	String	Service ID.	M
	SERNAME	String	Service Name	M
	SERCODE	String	Service Code	M
	SERTYPE	String	Service Type	M
	STATUS	Numeric	Service Status 1 – Enable 0 - Disable	M
XML Response Format	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <SERLIST> <SERID>1</SERID> <SERNAME>AIRTEL</SERNAME> <SERCODE>RA</SERCODE> <SERTYPE>RECHARGE</SERTYPE> <STATUS>1</STATUS> </SERLIST> <SERLIST> <SERID>2</SERID> <SERNAME>TORRENT POWER</SERNAME> <SERCODE>TP</SERCODE> <SERTYPE>ELECTRICITY BILL</SERTYPE> <STATUS>1</STATUS> </SERLIST>			

Unisus Pay SOAP API Integration Guide

	</NTDRESP>
JSON Response Format	<pre> { "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "SERLIST": [{ "SERID": "1", "SERNAME": "AIRTEL", "SERCODE": "RA", "SERTYPE": "RECHARGE", "STATUS": "1" }, { "SERID": "2", "SERNAME": "TORRENT POWER", "SERCODE": "TP", "SERTYPE": "ELECTRICITY BILL", "STATUS": "1" }] } } </pre>

Unisus Pay SOAP API Integration Guide

Method Name	GetUtilityBillInfo			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O) /Conditional(C)
	REQTYPE	String	Request Type Code – GUBI	M
	SERCODE	String	Service Code – Please check Appendix	M
	CUSTNO	String	Customer ID	M
	REFMOBILENO	String	Reference Mobile No	M
	AMT	Numeric	Bill Amount	M
	FIELD1	String	Field 1 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD2	String	Field 2 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD3	String	Field 3 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD4	String	Field 4 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD5	String	Field 5 (Optional and used as per service and keep it Blank if not relevant)	M
	AG_PCODE	Numeric	Agent/retailer PIN CODE	M
	AG_LAT	String	Agent/Retailer Location : Latitude	M
	AG_LONG	String	Agent/Retailer Location : Longitude	M
Request Format	<NTDREQ> <REQTYPE>GUBI</REQTYPE> <SERCODE>TP</SERCODE> <CUSTNO>1000910210</CUSTNO> <REFMOBILENO>9898981212</REFMOBILENO> <AMT>100</AMT> <FIELD1>SURAT</FIELD1> <FIELD2></FIELD2> <FIELD3></FIELD3> <FIELD4></FIELD4> <FIELD5></FIELD5> <AG_PCODE>380015</AG_PCODE> <AG_LAT>21.23232323</AG_LAT>			

Unisus Pay SOAP API Integration Guide

<AG_LONG>72.98989832</AG_LONG> </NTDREQ>				
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message I.e. Success	M
	BILLNO	String	Bill No received from Utility Service Provider	M
	CUSTNAME	String	Customer Name as per Utility Service Provider	M
	BILLDATE	String	Bill Generation Date	M
	BILLDUE DATE	String	Bill Due Date/ Last day to pay the bill without Penalty	M
	PARTIALPAYALLOW	String	Partial Payment Allowed or Not	M
	BILLAMT	Numeric	Bill Amount	M
XML Response Format	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <BILLNO>3232</BILLNO> <CUSTNAME>JOHN MATHEWS</CUSTNAME> <BILLDATE>1-OCT-18</BILLDATE> <BILLDUE DATE>24-OCT-18</BILLDUE DATE> <PARTIALPAYALLOW>N</PARTIALPAYALLOW> <BILLAMT>1233.00</BILLAMT> </NTDRESP>			
JSON Response Format	{ "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "BILLNO": "3232", "CUSTNAME": "JOHN MATHEWS", "BILLDATE": "1-OCT-18", "BILLDUE DATE": "24-OCT-18", "PARTIALPAYALLOW": "N", "BILLAMT": "1233.00" } }			

Unisus Pay SOAP API Integration Guide

Method Name	UtilityBillRequest			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O) /Conditional(C)
	REQTYPE	String	Request Type Code – UBR	M
	REFNO	String	Unique Transaction Reference No. Of the Client System.	M
	SERCODE	String	Service Code – Please check Appendix	M
	CUSTNO	String	Customer ID	M
	REFMOBILENO	String	Reference Mobile No	M
	AMT	Numeric	Bill Amount	M
	FIELD1	String	Field 1 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD2	String	Field 2 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD3	String	Field 3 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD4	String	Field 4 (Optional and used as per service and keep it Blank if not relevant)	M
	FIELD5	String	Field 5 (Optional and used as per service and keep it Blank if not relevant)	M
	AG_PCODE	Numeric	Agent/retailer PIN CODE	M
	AG_LAT	String	Agent/Retailer Location : Latitude	M
	AG_LONG	String	Agent/Retailer Location : Longitude	M
Request Format	<NTDREQ> <REQTYPE>UBR</REQTYPE> <REFNO>32323230</REFNO> <SERCODE>TP</SERCODE> <CUSTNO>1000910210</CUSTNO> <REFMOBILENO>9898981212</REFMOBILENO> <AMT>1233</AMT> <FIELD1>SURAT</FIELD1> <FIELD2></FIELD2>			

Unisus Pay SOAP API Integration Guide

	<FIELD3></FIELD3> <FIELD4></FIELD4> <FIELD5></FIELD5> <AG_PCODE>380015</AG_PCODE> <AG_LAT>21.23232323</AG_LAT> <AG_LONG>72.98989832</AG_LONG> </NTDREQ>			
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message I.e. Success	M
	REFNO	String	Unique Transaction Reference No. Of the Client System.	M
	TRNID	Numeric	Unique Transaction Reference No. Of Unisus Pay System	M
	TRNSTATUS	Numeric	Transaction Status i.e. 0 – Accepted 1- Success Please see Appendix for more Transaction Status	M
	TRNSTATUSDESC	String	Transaction Status Description i.e. Account Closed	M
XML Response Format	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <REFNO>NTD00000000000010</REFNO> <TRNID>21</TRNID> <TRNSTATUS>1</TRNSTATUS> <TRNSTATUSDESC>Success</TRNSTATUSDESC> </NTDRESP>			
JSON Response Format	{ "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "REFNO": "NTD00000000000010", "TRNID": "21", "TRNSTATUS": "1", "TRNSTATUSDESC": "Success" }			

	}}
--	----

Method Name	GenerateTransactionComplaint			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	REQTYPE	String	Request Type Code – GTC	M
	REFNO	String	Your Transaction Ref No	M
	CMTYPE	Numeric	Complaint Type	M
	CMDESC	String	Complaint Description	M
Request Format	<NTDREQ> <REQTYPE>GTC</REQTYPE> <REFNO>123</REFNO> <CMTYPE>3</CMTYPE> <CMDESC>Balance not received</CMDESC> </NTDREQ>			
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message. I.e. Success	M
	CMPID	Numeric	Complaint ID	M
XML Response Format	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <CMPID>123</CMPID> </NTDRESP>			
JSON Response Format	{ "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "CMPID": "123" } }			

Method Name	GetTransactionComplaintStatus			
Request Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	REQTYPE	String	Request Type Code – GTCS	M
	CMPID	Numeric	Complaint ID	M
Request Format	<NTDREQ> <REQTYPE>GTCS</REQTYPE> <CMPID>123</CMPID> </NTDREQ>			
Response Parameter	Parameter	Datatype	Description	Mandatory (M) /Optional (O)
	STATUSCODE	Numeric	Request Status Code. Please check appendix for more info.	M
	STATUSMSG	String	Request Status Message. I.e. Success	M
	COMPLAINTID	Numeric	Complaint ID	M
	COMPLAINTTYPE	Numeric	Complaint Type 3 = Recharge 4 = Bill Payment	M
	APIREFNO	String	Your transaction ref no	M
	CMPSTATUS	Numeric	Complaint Status 0 = Pending / Forwarded 1 = Accepted 2 = Failed 9 = Rejected	M
	CMPSTATUSDESC	String	Complaint Status Description	M
	ACTIONDTL	String	Action Details	M
XML Response Format	<NTDRESP> <STATUSCODE>0</STATUSCODE> <STATUSMSG>Success</STATUSMSG> <COMPLAINTID>123</COMPLAINTID> <COMPLAINTTYPE>3</COMPLAINTTYPE> <APIREFNO>123</APIREFNO> <CMPSTATUS>1</CMPSTATUS> <CMPSTATUSDESC>Accepted</CMPSTATUSDESC> <ACTIONDTL>Transaction is success</ACTIONDTL> </NTDRESP>			

Unisus Pay SOAP API Integration Guide

JSON Response Format	<pre>{ "NTDRESP": { "STATUSCODE": "0", "STATUSMSG": "Success", "COMPLAINTID": 123, "COMPLAINTTYPE": 3, "APIREFNO": "123", "CMPSTATUS": 1, "CMPSTATUSDESC": "Accepted", "ACTIONDTL": "Transaction is success", } }</pre>
-------------------------------------	---

Unisus Pay SOAP API Integration Guide

Reply Type	Call Back Reply			
Parameters	Parameter	Datatype	Description	Possible Values
	ClientRefNo	Text	API User Ref no	
	STATUS	Numeric	Transaction Status	1=Success 2=Failed 3=System Failed 4=Hold 5=Refund 6=In Process
	STATUSMSG	Text	Status Message	Success Execution Delay Mark
	TrnID	Numeric	Unisus Pay Transaction ID	1
	OprID	Text	Operator ID	AR123456
	DP	Numeric	Discount in Percentage (%)	2
	DR	Text	Discount in Rupees (Rs)	6.8
Request Format	https://ClientUrl.com? ClientRefNo=123&Status=3&StatusMsg=Execution Delay Mark&TrnID=1&OprID=&DP=0.00&DR=0.00 https://ClientUrl.com? ClientRefNo=123&Status=1&StatusMsg=Success&TrnID=2&OprID=AR123456&DP=2.00&DR=6.80			

Transaction Status

Transaction Status Code (TRNSTATUS/STATUS)	Transaction Status Description (TRNSTATUSDESC/STATUSDESC)
0	Request
1	Success
2	Operator Failed
3	System Failed
4	Hold
5	Refunded
6	Under Process

Note:

Please do not refund transaction when you get new Status Code, you have to verify that case with us
Always capture request and response, for any query you have to email transaction details with request and response.

Appendix

Mobile Operator	Code
AIRTEL	AR
BSNL	BS
RELIANCE JIO	RJ
VODAFONE	VI
Post Paid Operator	Code
AIRTEL BILL	AP
BSNL BILL	BP
IDEA BILL	IP
VODAFONE BILL	VP
RELIANCE BILL	RP
TATA BILL	TP
AIRCLE BILL	AIP
DTH Operator	Code
AIRTEL DTH	AD
DISH TV DTH	DT
TATA SKY DTH	TS
VIDEOCON DTH	VD
SUN TV DTH	ST

Unisus Pay SOAP API Integration Guide

ServiceName	ServiceCode	CUSTNO	AMT	REFMOBILENO	FIELD1	FIELD2
AIRTEL LANDLINE	AL	Landline No	Bill Amount	Mobile No		
BSNL LANDLINE	BL	Phone No	Bill Amount	Mobile No	Account No	Service Type
IDEA LANDLINE	IL	Landline No	Bill Amount	Mobile No		
VODAFONE LANDLINE	VL	Landline No	Bill Amount	Mobile No		
MTNL MUMBAI LANDLINE	ML	Phone No	Bill Amount	Mobile No	Customer Account No	
PGVCL	PGVCL	Consumer No	Bill Amount	Mobile No		
MGVCL	MGVCL	Consumer No	Bill Amount	Mobile No		
UGVCL	UGVCL	Consumer No	Bill Amount	Mobile No		
DGVCL	DGVCL	Consumer No	Bill Amount	Mobile No		
TORRENT POWER	TPB	Service No	Bill Amount	Mobile No	City	
ADANI GAS	AG	Customer ID	Bill Amount	Mobile No		
GUJARAT GAS COMPANY LTD	GGCL	CA Number	Bill Amount	Mobile No		
MSEDC LIMITED	MSEDC	Consumer No	Bill Amount	Mobile No	Billing Unit	Cycle
APDCL RAPDR	APDC	Consumer No	Bill Amount	Mobile No		
APDCL-NON RAPDR	APDNR	Consumer No	Bill Amount	Mobile No		
BANGALORE ELECTRICITY SUPPLY COMPANY	BESC	Consumer No	Bill Amount	Mobile No		
BHARATPUR ELECTRICITY SERVICES LTD	BESL	K Number	Bill Amount	Mobile No		
BIKANER ELECTRICITY SUPPLY LIMITED (BKESL)	BESL	K Number	Bill Amount	Mobile No		
BRIHAN MUMBAI ELECTRIC SUPPLY AND TRANSPORT						
UNDERT	BMSTU	Consumer No	Bill Amount	Mobile No		
BSES RAJDHANI	BSESR	CA Number	Bill Amount	Mobile No		
BSES YAMUNA	BSESY	CA Number	Bill Amount	Mobile No		
CALCUTTA ELECTRICITY SUPPLY LTD (CESC LTD)	CESL	Consumer No	Bill Amount	Mobile No		
CHHATTISGARH STATE ELECTRICITY BOARD	CSEB	Business Partner No	Bill Amount	Mobile No		
DAMAN AND DIU						
ELECTRICITY DEPARTMENT	DDED	Account No	Bill Amount	Mobile No		
DAKSHIN HARYANA BIJLI						
VITRAN NIGAM	DHBVN	Account No Service Connection Number	Bill Amount	Mobile No		
DNH POWER DISTRIBUTION COMPANY LIMITED	DNHPD		Bill Amount	Mobile No		
EASTERN POWER DISTRIBUTION COMPANY						
OF ANDHRA PRADE	EPDCA	Service No	Bill Amount	Mobile No		
GULBARGA ELECTRICITY SUPPLY COMPANY LIMITED	GESC	Consumer No	Bill Amount	Mobile No		
INDIA POWER CORPORATION LIMITED -						
BIHAR	IPCLB	Consumer No	Bill Amount	Mobile No		
JAMSHEDPUR UTILITIES AND SERVICES COMPANY LIMITED	JUSC	Business Partner No	Bill Amount	Mobile No		
JAIPUR AND AJMER VIYUT	JAVVN	K Number	Bill Amount	Mobile No		

Support: unisuspaymentsolutionpvtltd@gmail.com

Unisus Pay SOAP API Integration Guide

VITRAN NIGAM					
JODHPUR VIDYUT VITRAN					
NIGAM LTD	JVVNL	K Number	Bill Amount	Mobile No	
JHARKHAND BIJLI VITRAN					Subdivision
NIGAM LIMITED (JBVNL)	JBVNL	Consumer No	Bill Amount	Mobile No	Code
KOTA ELECTRICITY					
DISTRIBUTION LTD	KEDL	K Number	Bill Amount	Mobile No	
MPPKVVCL-INDORE	MPPKI	Consumer No	Bill Amount	Mobile No	
MPPKVVCL-JABALPUR	MPPKV				
MEGHALAYA POWER					
DISTRIBUTION CORPORATI					
ON LTD	MPDC	Customer ID	Bill Amount	Mobile No	
MUZAFFARPUR VIDYUT					
VITRAN LIMITED	MVVL	Consumer No	Bill Amount	Mobile No	
NORTH DELHI POWER					
LIMITED (TATA POWER -		Customer			
DDL)	NDPL	Account No	Bill Amount	Mobile No	
NORTH BIHAR POWER					
DISTRIBUTION COMPANY					
LTD	NBPDC	CA Number	Bill Amount	Mobile No	
NOIDA POWER COMPANY					
LIMITED	NPCL	Consumer No	Bill Amount	Mobile No	
MUNICIPAL CORPORATION					
OF GURUGRAM	MCOG	K No	Bill Amount	Mobile No	
PUNJAB STATE POWER					
CORPORATION LTD (PSPCL)	PSPCL	Account No	Bill Amount	Mobile No	
RAJASTHAN VIDYUT VITRAN					
NIGAM LIMITED	RVVNL	K Number	Bill Amount	Mobile No	
SOUTH BIHAR POWER					
DISTRIBUTION COMPANY					
LTD.	SBPDC	CA Number	Bill Amount	Mobile No	
SNDL NAGPUR	SNDLN	Consumer No	Bill Amount	Mobile No	
SOUTHERN POWER DISTR					
OF ANDHRA PRADESH	SPDAP	Service No	Bill Amount	Mobile No	
TRIPURA STATE ELECTRICITY		Consumer			
CORPORATION LTD	TSECL	Number	Bill Amount	Mobile No	
TAMIL NADU ELECTRICITY		Consumer			
BOARD (TNEB)	TNEB	Number	Bill Amount	Mobile No	
TP AJMER DISTRIBUTION					
LTD	TPADL	K Number	Bill Amount	Mobile No	
TATA POWER – MUMBAI	TPM	CA Number	Bill Amount	Mobile No	
UTTAR HARYANA BIJLI		Account			
VITRAN NIGAM	UHBVN	Number	Bill Amount	Mobile No	
		Service			
UTTARAKHAND POWER		Connection			
CORPORATION LIMITED	UPCL	Number	Bill Amount	Mobile No	
UTTAR PRADESH POWER					
CORP LTD (UPPCL) - URBAN	UPPCL	Customer No	Bill Amount	Mobile No	
UTTAR PRADESH POWER					
CORP LTD (UPPCL) - RURAL	UPPCR	Customer No	Bill Amount	Mobile No	
WEST BENGAL STATE					
ELECTRICITY	WBSE	Consumer No	Bill Amount	Mobile No	
GUJARAT GAS COMPANY	GGCL	CA Number	Bill Amount	Mobile No	

Unisus Pay SOAP API Integration Guide

LIMITED						
IGL (INDRAPRASTH GAS LIMITED)	IGL	BP Number	Bill Amount	Mobile No		
MAHANAGAR GAS LIMITED	MGL	CA Number	Bill Amount	Mobile No	Bill Group No	
HARYANA CITY GAS	HCG	CRN Number	Bill Amount	Mobile No		
SITI ENERGY	SEG	ARN Number	Bill Amount	Mobile No		
TRIPURA NATURAL GAS COMPANY LTD	TNGCL	Consumer No	Bill Amount	Mobile No		
SABARMATI GAS LIMITED (SGL)	SGL	Consumer No	Bill Amount			
UNIQUE CENTRAL PIPED GASES PVT LTD (UCPGPL)	UCPGP	Customer No	Bill Amount	Mobile No		
VADODARA GAS LIMITED	VGL	Consumer No	Bill Amount	Mobile No		
INDIA POWER CORPORATION - WEST BENGAL	IPCWB	Consumer No	Bill Amount	Mobile No		
UIT BHIWADI	UITB	Customer ID	Bill Amount	Mobile No		
UTTARAKHAND JAL SANSTHAN	UJS	Consumer No	Bill Amount	Mobile No		
DELHI JAL BOARD	DJB	K Number	Bill Amount	Mobile No		
RELIANCE ENERGY ELECTRICITY	REEC	Consumer No	Bill Amount	Mobile No	Cycle	
MTNL DELHI LANDLINE	MDL	Landline No	Bill Amount	Mobile No	Account No	